



Rocket III Specification:

ENGINE:		
Type		Liquid-cooled, DOHC, in-line 3-cylinder
Capacity		2,294cc
Bore/Stroke		101.6 x 94.3mm
Fuel System		Multipoint sequential electronic fuel injection twin butterflies, progressive linkage on primary butterflies
TRANSMISSION:		
Final Drive		Shaft
Clutch		Wet, multi-plate
Gearbox		5-speed
Gear Ratios		1 st 2.929:1 2 nd 1.947:1 3 rd 1.435:1 4 th 1.160:1 5 th 0.964:1
CYCLE PARTS:		
Frame		Tubular steel, twin spine
Swingarm		Twin-sided, steel (houses drive shaft)
Wheels	Front	Cast aluminium alloy 5-spoke 17 x 3.5in
	Rear	Cast aluminium alloy 5-spoke 16 x 7.5in
Tyres	Front	150/80 R 17
	Rear	240/50 R 16
Suspension	Front	Kayaba 43mm upside down forks 120mm travel
	Rear	Kayaba chromed spring twin shocks with 5 position adjustable preload. 105mm wheel travel
Brakes	Front	Twin 320mm floating discs, Nissin 4 piston fixed calipers
	Rear	Single 316mm fixed disc, Brembo 2 piston floating caliper
Instrument display/functions		Analogue speedometer featuring LCD odometer, trip information and analogue tachometer
DIMENSIONS:		
Length		2,500mm (98.4in)
Width (Handlebars)		970mm (38.2in)
Height		1,165mm (45.9in)
Seat Height		740mm (29.1in)
Wheelbase		1,695mm (66.7in)
Rake/Trail		32°/152mm
Weight (Dry)		320kg (704lbs)
Fuel Tank Capacity		24 litres (5.3 gal)
Maximum Power		142PS (140bhp/104kW) at 6,000rpm
Maximum Torque		200Nm (147ft.lbf) at 2,500rpm

Triumph Motorcycles Limited

Normandy Way, Hinckley, Leicestershire, LE10 3BZ United Kingdom
Telephone +44 (0)1455 251700, Facsimile +44 (0)1455 453005
www.triumphmotorcycles.com